| | Application No. | Applicant/a) |
|---|--|---|
| | Application No. | Applicant(s) |
| Notice of Allowability | 10/649,343 | KISTLER ET AL. |
| | Examiner | Art Unit |
| | George R. Koch III | 1734 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to <u>8/26/2005</u> . | | |
| 2. The allowed claim(s) is/are <u>47-58</u> . | | |
| 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date | 6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendn | atent Application (PTO-152) (PTO-413), e nent/Comment nt of Reasons for Allowance |
| | | |



Application/Control Number: 10/649,343 Page 2

Art Unit: 1734

EXAMINER'S AMENDMENT

1. The Drawings filed on 8/27/2003 have been approved.

2. A request for continued examination under 37 CFR 1.114, including the fee set

forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this

application is eligible for continued examination under 37 CFR 1.114, and the fee set

forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action

has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on

8/26/2005 has been entered.

3. An examiner's amendment to the record appears below. Should the changes

and/or additions be unacceptable to applicant, an amendment may be filed as provided

by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview

with Andrew Chu on 9/6/2005.

The application has been amended as follows:

Claim 47, line 1, delete "device", insert --apparatus--.

Claim 47, line 15, before "mass flow rate", delete "the", insert --a--.

Claim 47, line 28, after "coating thickness", insert --profile--.

Claim 52, line 3, before "mass flow rate", delete "a", insert --the--.

Page 3

Claim 56, lines 2, delete "control", insert --display--.

The following is an examiner's statement of reasons for allowance: Applicant's 4. remarks are substantially persuasive. Applicant persuasively argues that Falck does not disclose the claimed spray valve (see pages 7-8). Such spray valves with needle valves are known (US Patent 5,755,882 to Patrick, item 33). Furthermore, all of the substantive elements of the claims are known in the art, although not together.

However, applicant persuasively argues that there is no motivation to combine the references, (for example, page 9, middle paragraph of page 13, middle paragraph of page 14), and Patrick itself would not supply motivation to combine the references.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to George R. Koch III whose telephone number is (571) 272-1230. The examiner can normally be reached on M-Th 10-7.

Art Unit: 1734

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Fiorilla can be reached on (571) 272-1187. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

George R: Koch III Patent Examiner Art Unit 1734

GRK 9/6/2005